

## Classe H1 Bordo Laterale - Barriera 2 onde singola su rilevato W4

Class H1 Roadside - 2-waves single sided guardrail W4


Aufhaltestufe H1 für rammfähige Böden - 2-welliges Rückhaltesystem W4

Classe H1 Bord latéral - Glissière 2 crosses simple sur remblai W4

Clase H1 Borde lateral - Barrera de doble onda simple sobre base terreno W4



n. AISICO  
233/2131/CPD/2012





### Caratteristiche Characteristics, Eigenschaften, Caractéristiques, Características

<b>Altezza fuori terra</b> Height above ground level, Höhe über Grundboden, Hauteur hors sol, Altura sobre el suelo	770 ± 30 mm
<b>Profondità d'infissione</b> Depth of penetration, Rammtiefe, Profondeur de piling du poteau, Longitud hincada	1000 mm
<b>Ingombro trasversale</b> Overall width, Gesamtbreite, Grosseur hors tout, Anchura total	188 mm
<b>Interasse pali</b> Post spacing, Steherabstand, Distance entre poteaux, Distancia entre postes	2000 mm

### Rapporti di prova Crash test reports, Testberichte, Comptes rendus d'essais, Relaciones de pruebas

Test n.	Facility	Test	Type	Barrier length m	Mass kg	Speed km/h	ASI max 1.4	THIV max 33 km/h	D m	Vi m	W m
PROVA 889	Aisico	TB42	Laterale 15°	64	10.000	70			1,2	2,2	1,3=W4
PROVA 814	Aisico	TB11	Laterale 20°	64	900	100	0,9=A	25	0,9		1=W1



## Componenti Components, Bauteile, Composants, Elementos

	Descrizione Description		Materiale Material	Codice Code
10	<b>Palo "C"</b> C-post, C-Steher, Poteau en C, Poste "C"	120x80x30 Th=5 H=1700mm	S 235 JR	<b>59400851</b>
9	<b>Fune in acciaio</b> Steel wire rope, Stahldrahtseil, Câble en acier, Cable de acero	Ø 20 mm	Acc. Zinc.	<b>59603479</b>
8	<b>Elemento blocco fune n° 2</b> Wire rope locking element nr. 2, Seil-Verriegelungselement Nr. 2, Élément de fixation câble n° 2, Elemento de bloqueo cable n° 2		S 275 JR	<b>59602537</b>
7	<b>Elemento blocco fune n° 1</b> Wire rope locking element nr. 1, Seil-Verriegelungselement Nr. 1, Élément de fixation câble n° 1, Elemento de bloqueo cable n° 1		S 275 JR	<b>59603429</b>
11	<b>Bollone completo</b> Bolt with nut and washer, Schraube komplett, Boulon complet, Tornillo completo con tuerca y arandela	M16x50 mm	Classe 8.8	<b>63800014</b>
6		M16x30 mm	Classe 8.8	<b>63800012</b>
5		M8x50	Classe 8.8	<b>63800497</b>
4	<b>Piastrina copriasola</b> Slot covering plate, Lochabdeckplatte, Plaque de couverture fente, Placa cubre-ranura	100x40x4 mm	S 275 JR	<b>59600127</b>
3		120x80x5 mm	S 275 JR	<b>59602473</b>
2	<b>Palo "U"</b> U-post, U-Steher, Poteau en U, Poste "U"	104x65 Th=4 H=1700mm	S 235 JR	<b>59400670</b>
1	<b>Fascia 2 onde</b> 2-waves beam, 2-wellige Leitschiene, Glissière 2 crosses, Banda doble onda	L=4316 (2000x2) Th=2,4 mm	S 275 JR	<b>59300499</b>