

Classe N2 Bordo Laterale - Barriera 2 onde singola su rilevato W5




Class N2 Roadside - 2-waves single sided guardrail W5

Aufhaltestufe N2 für rammfähige Böden - 2-welliges Rückhaltesystem W5

Classe N2 Bord latéral - Glissière 2 crosses simple sur remblai W5

Clase N2 Borde lateral - Barrera de doble onda simple sobre base terreno W5

CE n. AISICO
231/2131/CPD/2012




Caratteristiche Characteristics, Eigenschaften, Caractéristiques, Características

| | |
|---|-------------|
| Altezza fuori terra Height above ground level, Höhe über Grundboden, Hauteur hors sol, Altura sobre el suelo | 750 ± 25 mm |
| Profondità d'infissione Depth of penetration, Rammtiefe, Profondeur de piling du poteau, Longitud hincada | 1005 mm |
| Ingombro trasversale Overall width, Gesamtbreite, Grosseur hors tout, Anchura total | 205 mm |
| Interasse pali Post spacing, Steherabstand, Distance entre poteaux, Distancia entre postes | 4000 mm |

Rapporti di prova Crash test reports, Testberichte, Comptes rendus d'essais, Relaciones de pruebas

| Test n. | Facility | Test | Type | Barrier length m | Mass kg | Speed km/h | ASI max 1.4 | THIV max 33 km/h | D m | W m |
|-----------|----------|------|--------------|------------------|---------|------------|-------------|------------------|------|---------|
| PROVA 328 | Aisico | TB32 | Laterale 20° | 84 | 1.500 | 110 | 0,8=A | | 1,5 | 1,57=W5 |
| PROVA 329 | Aisico | TB11 | Laterale 20° | 84 | 900 | 100 | 0,87=A | 22,2 | 0,89 | 0,97=W3 |



Componenti Components, Bauteile, Composants, Elementos

| | Descrizione Description | | Materiale Material | Codice Code |
|-----|--|-------------------------|-----------------------|-----------------|
| 708 | Palo "U" U-post, U-Steher, Poteau en U, Poste "U" | 120x80 Th=5 H=1700 mm | S 235 JR | 59400479 |
| 19 | Fascia 2 onde 2-waves beam, 2-wellige Leitschiene, Glissière 2 crosses, Banda doble onda | L=4316 (2000x2) Th=3 mm | S 235 JR | 59300059 |
| 14 | Bullone completo Bolt with nut and washer, Schraube komplett, | M16x30 mm | Classe 8.8 | 63800012 |
| 13 | <i>Boulon complet, Tornillo completo con tuerca y arandela</i> | M16x50 mm | Classe 8.8 | 63800014 |
| 11 | Piastrina copiasola Slot covering plate, Lochabdeckplatte, Plaque de couverture fente, Placa cubre-ranura | 100x40x4 mm | S 275 JR | 59600127 |